

CONTROLLED SUBSTANCES

- BY CSA SCHEDULE -

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|---|------|------------|------|---|
| (1-(4-Fluorobenzyl)-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanone | 7014 | I | N | FUB-144 |
| 1-(1-Phenylcyclohexyl)pyrrolidine | 7458 | I | N | PCPy, PHP, rolicyclidine |
| 1-(2-Phenylethyl)-4-phenyl-4-acetoxypiperidine | 9663 | I | Y | PEPAP, synthetic heroin |
| 1-(5-Fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-carboxamide | 7083 | I | N | 5F-CUMYL-PINACA; SGT-25 |
| 1-[1-(2-Thienyl)cyclohexyl]piperidine | 7470 | I | N | TCP, tenocyclidine |
| 1-[1-(2-Thienyl)cyclohexyl]pyrrolidine | 7473 | I | N | TCPy |
| 1-Methyl-4-phenyl-4-propionoxypiperidine | 9661 | I | Y | MPPP, synthetic heroin |
| 2-(2,5-Dimethoxy-4-(n-propylphenyl) ethanamine (2C-P) | 7524 | I | N | 2C-P |
| 2-(2,5-Dimethoxy-4-ethylphenyl) ethanamine (2C-E) | 7509 | I | N | 2C-E (Positional Isomer: 2,5-Dimethoxy-3,4-dimethylphenethylamine (2C-G)) |
| 2-(2,5-Dimethoxy-4-methylphenyl) ethanamine (2C-D) | 7508 | I | N | 2C-D |
| 2-(2,5-Dimethoxy-4-nitro-phenyl) ethanamine (2C-N) | 7521 | I | N | 2C-N |
| 2-(2,5-Dimethoxyphenyl) ethanamine (2C-H) | 7517 | I | N | 2C-H |
| 2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25B-NBOMe) | 7536 | I | N | 25B-NBOMe, 2C-B-NBOMe, 25B, Cimbi-36 |
| 2-(4-Chloro-2,5-dimethoxyphenyl) ethanamine (2C-C) | 7519 | I | N | 2C-C |
| 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25C-NBOMe) | 7537 | I | N | 25C-NBOMe, 2C-C-NBOMe, 25C, Cimbi-82 |
| 2-(4-Ethylthio-2,5-dimethoxyphenyl) ethanamine (2C-T-2) | 7385 | I | N | 2C-T-2 |
| 2-(4-iodo-2,5-dimethoxyphenyl) ethanamine (2C-I) | 7518 | I | N | 2C-I |
| 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl) ethanamine (25I-NBOMe) | 7538 | I | N | 25I-NBOMe, 2C-I-NBOMe, 25I, Cimbi-5 |
| 2-(4-Isopropylthio)-2,5-dimethoxyphenyl) ethanamine (2C-T-4) | 7532 | I | N | 2C-T-4 (Positional Isomer: 2,5-Dimethoxy-4-ethylthioamphetamine (Aleph-2)) |
| 2-(ethylamino)-2-(3-methoxyphenyl)cyclohexan-1-one (methoxetamine) | 7286 | I | N | MXE, methoxetamine |
| 2,5-Dimethoxy-4-(n-propylthiophenethylamine (2C-T-7) | 7348 | I | N | 2C-T-7 (Positional Isomer: 2,5-Dimethoxy-4-ethylthioamphetamine (Aleph-2)) |
| 2,5-Dimethoxy-4-ethylamphetamine | 7399 | I | N | DOET (Positional Isomer: 1-(2,5-dimethoxy-4-methylphenyl)butan-2-amine) |
| 2,5-Dimethoxyamphetamine | 7396 | I | N | DMA, 2,5-DMA |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

21-Nov-24

Page 1 of 20

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|--|------|------------|------|--|
| 2',5'-Dimethoxyfentanyl (N-(1-(2,5-dimethoxyphenethyl)piperidin-4-yl)-N-phenylpropionamide) | 9861 | I | Y | |
| 2'-Fluoro ortho-fluorofentanyl (N-(1-(2-fluorophenethyl)piperidin-4-yl)-N-(2-fluorophenyl)propionamide; also known as 2'-fluoro 2-fluorofentanyl) | 9855 | I | Y | |
| 2-methoxy-N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide | 9825 | I | Y | Methoxyacetyl fentanyl |
| 2-methyl AP-237 (1-(2-methyl-4-(3-phenylprop-2-en-1-yl)piperazin-1-yl)butan-1-one | 9664 | I | Y | |
| 3,4,5-Trimethoxyamphetamine | 7390 | I | N | TMA (Positional Isomers: 2,4,5-Trimethoxy-amphetamine (TMA-5), 2,4,6-Trimethoxy-amphetamine (TMA-6), Escaline) |
| 3,4-Methylenedioxymethamphetamine | 7400 | I | N | MDA, Love Drug |
| 3,4-Methylenedioxymethamphetamine | 7405 | I | N | MDMA, Ecstasy, XTC |
| 3,4-Methylenedioxymethylamphetamine | 7404 | I | N | N-ethyl MDA, MDE, MDEA (Positional Isomer: MDMB) |
| 3-Fluoro-N-methylcathinone (3-FMC) | 1233 | I | N | 1-(3-fluorophenyl)-2-(methylamino)propan-1-one (Positional Isomer: 2-FMC) |
| 3-Furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylfuran-3-carboxamide) | 9860 | I | Y | |
| 3-Methylfentanyl | 9813 | I | Y | China White, fentanyl |
| 3-methylmethcathinone (2-(methylamino)-1-(3-methylphenyl)propan-1-one) | 1259 | I | N | 3-MMC; 3-methylmethcathinone |
| 3-Methylthiofentanyl | 9833 | I | Y | China White, fentanyl |
| 4,4'-Dimethylaminorex (4,4'-DMAR; 4,5-dihydro-4-methyl-5-(4-methylphenyl)-2-oxazolamine; 4-methyl-5-(4-methylphenyl)-4,5-dihydro-1,3-oxazol-2-amine) | 1595 | I | N | |
| 4'-methyl-alpha-pyrrolidinohexiophenone (MPHP) | 7446 | I | N | MPHP; 4'-methyl-alpha-pyrrolidinohexanophenone; 1-(4-methylphenyl)-2-(pyrrolidin-1-yl)hexan-1-one |
| 4-Bromo-2,5-dimethoxyamphetamine | 7391 | I | N | DOB, 4-bromo-DMA |
| 4-Bromo-2,5-dimethoxyphenethylamine | 7392 | I | N | 2C-B, Nexus, has been sold as Ecstasy, i.e. MDMA |
| 4'-chloro-alpha-pyrrolidinovalerophenone (4-chloro- α -PVP) | 7443 | I | N | 4-chloro- α -PVP; 4'-chloro- α -pyrrolidinopentiophenone; 1-(4-chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one |
| 4-CN-CUMYL-BUTINACA (1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-carboxamide) | 7089 | I | N | 4-cyano-CUMYL-BUTINACA; 4-CN-CUMYL BINACA; CUMYL-4CN-BINACA; SGT-78 |
| 4-Fluoroisobutyryl fentanyl (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide) | 9824 | I | Y | Para-fluoroisobutyryl fentanyl |
| 4-Fluoro-N-methylcathinone (4-FMC) | 1238 | I | N | flephedrone; 1-(4-fluorophenyl)-2-(methylamino)propan-1-one (Positional Isomer: 2-FMC) |
| 4F-MDMB-BINACA (4F-MDMB-BUTINACA or methyl 2-(1-(4-fluorobutyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate) | 7043 | I | N | |
| 4F-MDMB-BUTICA (methyl 2-[[1-(4-fluorobutyl)indole-3-carbonyl]amino]-3,3-dimethyl-butanoate | 7091 | I | N | 4F-MDMB-BUTICA; 4F-MDMB-BICA |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|--|------|------------|------|---|
| 4-Methoxyamphetamine | 7411 | I | N | PMA |
| 4'-Methyl acetyl fentanyl (N-(1-(4-methylphenethyl)piperidin-4-yl)-N-phenylacetamide) | 9819 | I | Y | |
| 4-Methyl-2,5-dimethoxyamphetamine | 7395 | I | N | DOM, STP (Positional Isomer: 2,5-Dimethoxy-3,4-dimethylphenethylamine (2C-G)) |
| 4-methyl-alpha-ethylaminopentiophenone (4-MEAP) | 7245 | I | N | 4-MEAP; 2-(ethylamino)-1-(4-methylphenyl)pentan-1-one |
| 4-Methyl-alphapyrrolidinopropiophenone (4-MePPP) | 7498 | I | N | MePPP, 4-methyl- α -pyrrolidinopropiophenone, 1-(4-methylphenyl)-2-(pyrrolidin-1-yl)-propan-1-one |
| 4-Methylaminorex (cis isomer) | 1590 | I | N | U4Euh, McN-422 |
| 4-Methyl-N-ethylcathinone (4-MEC) | 1249 | I | N | 2-(ethylamino)-1-(4-methylphenyl)propan-1-one (Positional Isomers: 3-methylethcathinone (3-MEC), 4-ethylmethcathinone (4-EMC), 4-methylbuphedrone (4-MeMABP;4-MeBP), 3,4-dimethylmethcathinone(3,4-DMMC),N-ethylbuphedrone (NEB),N-ethyl-N-methylcathinone(EMC)) |
| 5F-AB-PINACA (N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide) | 7025 | I | N | |
| 5F-ADB; 5F-MDMB-PINACA (Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate) | 7034 | I | N | 5F-ADB, 5F-MDMB-PINACA, (Positional isomer: 5F-AEB, 5F-EMB-PINACA) |
| 5F-AMB (Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3-methylbutanoate) | 7033 | I | N | 5F-AMB |
| 5F-APINACA, 5F-AKB48 (N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide) | 7049 | I | N | 5F-APINACA, 5F-AKB48 |
| 5F-CUMYL-P7AICA (1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-pyrrolo[2,3-b]pyridine-3-carboxamide) | 7085 | I | N | |
| 5F-EDMB-PICA (ethyl 2-[(1-(5-fluorophenyl)indole-3-carbonyl]amino]-3,3-dimethyl-butanoate | 7094 | I | N | 5F-EDMB-PICA; 5F-EDMB-2201 |
| 5-Fluoro-UR-144 and XLR11 [1-(5-Fluoro-pentyl)1H-indol-3-yl][2,2,3,3-tetramethylcyclopropyl)methanone | 7011 | I | N | 5-Fluoro-UR-144, XLR-11 and XLR11 |
| 5F-PB-22 (Quinolin-8-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate) | 7225 | I | N | 5-Fluoro-PB-22; 5F-PB-22 |
| 5-Methoxy-3,4-methylenedioxymphetamine | 7401 | I | N | MMDA |
| 5-Methoxy-N,N-diisopropyltryptamine | 7439 | I | N | 5-MeO-DIPT (Positional Isomer: 5-Methoxy-N,N-dipropyltryptamine (5-MeO-DPT)) |
| 5-Methoxy-N,N-dimethyltryptamine | 7431 | I | N | 5-MeO-DMT (Positional Isomer: 4-Methoxy-N,N-dimethyltryptamine (4-MeO-DMT)) |
| AB-CHMINACA (N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide) | 7031 | I | N | AB-CHMINACA |
| AB-FUBINACA (N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide) | 7012 | I | N | AB-FUBINACA |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|--|------|------------|------|---|
| AB-PINACA (N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-3-carboxamide) | 7023 | I | N | AB-PINACA |
| Acetorphine | 9319 | I | Y | |
| Acetyl Fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide) | 9821 | I | Y | |
| Acetyl-alpha-methylfentanyl | 9815 | I | Y | |
| Acetyldihydrocodeine | 9051 | I | Y | Acetylcodone |
| Acetylmethadol | 9601 | I | Y | Methadyl acetate |
| Acryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide) | 9811 | I | Y | Acryloylfentanyl |
| ADB-4en-PINACA (N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(pent-4-en-1-yl)-1H-indazole-3-carboxamide) | 7092 | I | N | ADB-4en-PINACA |
| ADB-BUTINACA (N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-butyl-1H-indazole-3-carboxamide) | 7027 | I | N | ADB-BUTINACA |
| ADB-FUBINACA (N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide) | 7010 | I | N | ADB-FUBINACA |
| ADB-PINACA (N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-3-carboxamide) | 7035 | I | N | ADB-PINACA |
| AH-7921 (3,4-dichloro-N-[(1-dimethylamino)cyclohexylmethyl]benzamide)) | 9551 | I | Y | AH-7921 |
| Allylprodine | 9602 | I | Y | |
| Alphacetylmethadol except levo-alphacetylmethadol | 9603 | I | Y | |
| Alpha-ethyltryptamine | 7249 | I | N | ET, Trip |
| Alphameprodine | 9604 | I | Y | |
| Alphamethadol | 9605 | I | Y | |
| alpha'-Methyl butyryl fentanyl (2-methyl-N-(1-phenethylpiperidin-4-yl)-N-phenylbutanamide) | 9864 | I | Y | |
| Alpha-methylfentanyl | 9814 | I | Y | China White, fentanyl |
| Alpha-methylthiofentanyl | 9832 | I | Y | China White, fentanyl |
| Alpha-methyltryptamine | 7432 | I | N | AMT |
| | | | | (Positional Isomer: N-Methyltryptamine) |
| alpha-pyrrolidinobutiophenone (α -PBP) | 7546 | I | N | 1-phenyl-2-(pyrrolidin-1-yl)butan-1-one |
| alpha-pyrrolidinoheptaphenone (PV8) | 7548 | I | N | PV8; 1-phenyl-2-(pyrrolidin-1-yl)heptan-1-one |
| alpha-pyrrolidinohexanophenone (α -PHP) | 7544 | I | N | α -PHP; α -pyrrolidinohexanophenone; 1-phenyl-2-(pyrrolidin-1-yl)hexan-1-one |
| alpha-pyrrolidinopentiophenone (α -PVP) | 7545 | I | N | α -pyrrolidinovalerophenone, 1-phenyl-2-(pyrrolidin-1-yl)pentan-1-one |
| | | | | (Positional Isomers: 4-methyl- α -pyrrolidinobutiophenone (4-MePBP), 1-phenyl-2-(piperidin-1-yl)butan-1-one) |
| AM2201 (1-(5-Fluoropentyl)-3-(1-naphthoyl) indole) | 7201 | I | N | AM2201 |
| AM-694 (1-(5-Fluoropentyl)-3-(2-iodobenzoyl) indole) | 7694 | I | N | AM-694 |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

| SUBSTANCE | CSA | | | OTHER NAMES |
|---|------|-----|------|--|
| | CSCN | SCH | NARC | |
| Amineptine (7-[(10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-yl)amino]heptanoic acid) | 1219 | I | N | |
| Aminorex | 1585 | I | N | has been sold as methamphetamine |
| APINACA and AKB48 N-(1-Adamantyl)-1-pentyl-1H-indazole-3-carboxamide | 7048 | I | N | APINACA and AKB48 |
| Benzethidine | 9606 | I | Y | |
| Benzylmorphine | 9052 | I | Y | |
| Betacetylmethadol | 9607 | I | Y | |
| Beta-hydroxy-3-methylfentanyl | 9831 | I | Y | China White, fentanyl |
| Beta-hydroxyfentanyl | 9830 | I | Y | China White, fentanyl |
| Beta-hydroxythiofentanyl | 9836 | I | Y | N-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl]piperidin-4-yl]-N-phenylpropionamide, N-[1-[2-hydroxy-2-(2-thienyl)ethyl]-4-piperidinyl]-N-phenylpropanamide |
| Betameprodine | 9608 | I | Y | |
| Betamethadol | 9609 | I | Y | |
| beta-Methyl fentanyl (N-phenyl-N-(1-(2-phenylpropyl)piperidin-4-yl)propionamide; also known as β-methyl fentanyl) | 9856 | I | Y | |
| beta'-Phenyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N,3-diphenylpropanamide; also known as β'-phenyl fentanyl; 3-phenylpropanoyl fentanyl) | 9842 | I | Y | |
| Betaprodine | 9611 | I | Y | |
| Brorphine (1-(1-(4-bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2H-benzo[d]imidazol-2-one) | 9098 | I | Y | 1-[1-[1-(4-bromophenyl)ethyl]-4-piperidinyl]-1,3-dihydro-2H-benzo[d]imidazol-2-one) |
| Bufotenine | 7433 | I | N | Mappine, N,N-dimethylserotonin |
| Butonitazene (2-(2-(4-butoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine) | 9751 | I | Y | |
| Butylone | 7541 | I | N | bk-MBDB; 1-(1,3-benzodioxol-5-yl)-2-(methylamino)butan-1-one) (Positional Isomers: dimethylone (bk-MDDMA; MDDMC), N,N-dimethyl-3,4-methylenedioxycathinone) |
| Butyryl Fentanyl | 9822 | I | Y | N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide, N-(1-phenethylpiperidin-4-yl)-N-phenylbutanamide |
| Cathinone | 1235 | I | N | Constituent of "Khat" plant |
| Clonazepam (6-(2-chlorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine | 2786 | I | N | |
| Clonitazene | 9612 | I | Y | |
| Codeine methylbromide | 9070 | I | Y | |
| Codeine-N-oxide | 9053 | I | Y | |
| CP-47,497 (5-(1,1-Dimethylheptyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol) | 7297 | I | N | CP-47,497 |
| CP-47,497 C8 Homologue (5-(1,1-Dimethyloctyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol) | 7298 | I | N | CP-47,497 C8 Homologue |
| Crotonyl fentanyl ((E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide) | 9844 | I | Y | |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|---|------|------------|------|---|
| CUMYL-PEGACLONE (5-pentyl-2-(2-phenylpropan-2-yl)pyrido[4,3-b]indol-1-one) | 7093 | I | N | CUMYL-PEGACLONE; SGT-151 |
| Cyclopentyl fentanyl | 9847 | I | Y | N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide |
| Cyclopropyl Fentanyl | 9845 | I | Y | N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopropanecarboxamide |
| Cyprenorphine | 9054 | I | Y | |
| Desomorphine | 9055 | I | Y | |
| Dextromoramide | 9613 | I | Y | Palfium, Jetrium, Narcolo |
| Diampromide | 9615 | I | Y | |
| Diclazepam (7-chloro-5-(2-chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-benzo[e][1,4]diazepin-2-one | 2789 | I | N | |
| Diethylthiambutene | 9616 | I | Y | |
| Diethyltryptamine | 7434 | I | N | DET, N,N-Diethyltryptamine (Positional Isomer: N-Methyl-N-isopropyltryptamine (MiPT)) |
| Difenoxin | 9168 | I | Y | Lyspafen |
| Dihydromorphine | 9145 | I | Y | |
| Dimenoxadol | 9617 | I | Y | |
| Dimepheptanol | 9618 | I | Y | |
| Dimethylthiambutene | 9619 | I | Y | |
| Dimethyltryptamine | 7435 | I | N | DMT |
| Dioxaphetyl butyrate | 9621 | I | Y | |
| Dipipanone | 9622 | I | Y | Dipipan, phenylpiperone HCl, Diconal, Wellconal |
| Drotebanol | 9335 | I | Y | Metebanyl, oxymethebanol |
| Ethyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate | 7036 | I | N | 5F-EDMB-PINACA |
| Ethylmethylthiambutene | 9623 | I | Y | |
| Ethylone | 7547 | I | N | 1-(1,3-benzodioxol-5-yl)-2-(ethylamino)propan-1-one; 3,4-methylenedioxy-N-ethylcathinone; bk-MDEA; MDEC |
| Ethylphenidate (ethyl 2-phenyl-2-(piperidin-2-yl)acetate) | 1727 | I | N | |
| Etizolam (4-(2-chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4]diazepine | 2780 | I | N | |
| Etodesnitazene; etazene (2-(2-(4-ethoxybenzyl)-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine) | 9765 | I | Y | |
| Etonitazene | 9624 | I | Y | |
| Etorphine (except HCl) | 9056 | I | Y | |
| Etoxeridine | 9625 | I | Y | |
| Eutylone | 7549 | I | N | 1-(1,3-benzodioxol-5-yl)-2-(ethylamino)butan-1-one, bk-EBDB |
| Fenethylline | 1503 | I | N | Captagon, amfetyline, ethyltheophylline amphetamine |
| Fentanyl carbamate (ethyl (1-phenethylpiperidin-4-yl)(phenyl)carbamate) | 9851 | I | Y | |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

21-Nov-24

Page 6 of 20

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|---|------|------------|------|--|
| Fentanyl related-substances as defined in 21 CFR 1308.11(h) | 9850 | I | Y | |
| Flualprazolam (8-chloro-6-(2-fluorophenyl)-1-methyl-4H-benzo[<i>f</i>][1,2,4]triazolo[4,3-a][1,4]diazepine) | 2785 | I | N | |
| Flubromazolam (8-bromo-6-(2-fluorophenyl)-1-methyl-4H-benzo[<i>f</i>][1,2,4]triazolo[4,3-a][1,4]diazepine) | 2788 | I | N | 8-bromo-6-(2-fluorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine |
| Flunitazene (N,N-diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine) | 9756 | I | Y | |
| Furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylfuran-2-carboxamide) | 9834 | I | Y | |
| Furethidine | 9626 | I | Y | |
| Gamma Hydroxybutyric Acid | 2010 | I | N | GHB, gamma hydroxybutyrate, sodium oxybate |
| Heroin | 9200 | I | Y | Diacetylmorphine, diamorphine |
| Hydromorphonol | 9301 | I | Y | |
| Hydroxypethidine | 9627 | I | Y | |
| Ibogaine | 7260 | I | N | Constituent of "Tabernanthe iboga" plant |
| Isobutryryl fentanyl | 9827 | I | Y | N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide |
| Isotonitazene (N,N-diethyl-2-(2-(4 isopropoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine) | 9614 | I | Y | N,N-diethyl-2-[(4-(1-methylethoxy)phenyl)methyl]-5-nitro-1H-benzimidazole-1-ethanamine |
| Isovaleryl fentanyl (3-methyl-N-(1-phenethylpiperidin-4-yl)-N-phenylbutanamide) | 9862 | I | Y | |
| JWH-018 (also known as AM678) (1-Pentyl-3-(1-naphthoyl)indole) | 7118 | I | N | JWH-018 and AM-678 |
| JWH-019 (1-Hexyl-3-(1-naphthoyl)indole) | 7019 | I | N | JWH-019 |
| JWH-073 (1-Butyl-3-(1-naphthoyl)indole) | 7173 | I | N | JWH-073 |
| JWH-081 (1-Pentyl-3-(1-(4-methoxynaphthoyl)indole) | 7081 | I | N | JWH-081 |
| JWH-122 (1-Pentyl-3-(4-methyl-1-naphthoyl)indole) | 7122 | I | N | JWH-122 |
| JWH-200 (1-[2-(4-Morpholinyl)ethyl]-3-(1-naphthoyl)indole) | 7200 | I | N | JWH-200 |
| JWH-203 (1-Pentyl-3-(2-chlorophenylacetyl)indole) | 7203 | I | N | JWH-203 |
| JWH-250 (1-Pentyl-3-(2-methoxyphenylacetyl)indole) | 6250 | I | N | JWH-250 |
| JWH-398 (1-Pentyl-3-(4-chloro-1-naphthoyl)indole) | 7398 | I | N | JWH-398 |
| Ketobemidone | 9628 | I | Y | Cliradon |
| Levomoramide | 9629 | I | Y | |
| Levophenacylmorphan | 9631 | I | Y | |
| Lysergic acid diethylamide | 7315 | I | N | LSD, lysergide |
| MAB-CHMINACA (N-(1-amino-3,3dimethyl-1-oxobutan-2-yl)-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide) | 7032 | I | N | MAB-CHMINACA and ADB-CHMINACA |
| Marijuana | 7360 | I | N | Cannabis, marijuana |
| Marijuana Extract | 7350 | I | N | |
| MDMB-4en-PINACA (methyl 3,3-dimethyl-2-(1-(pent-4-en-1-yl)-1H-indazolo-3-carboxamido)butanoate) | 7090 | I | N | MDMB-4en-PINACA |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|---|------|------------|------|--|
| MDMB-CHMICA, MMB-CHMINACA (Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate) | 7042 | I | N | MDMB-CHMICA, MMB-CHMINACA |
| MDMB-FUBINACA (Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate) | 7020 | I | N | MDMB-FUBINACA (Positional Isomer: EMB-FUBINACA) |
| MDPV (3,4-Methylenedioxypyrovalerone) | 7535 | I | N | MDPV (Positional Isomers: 1-(1,3-benzodioxol-5-yl)-2-(cyclohexylamino)propan-1-one(n-cyclohexyl methylene or 3,4-methylenedioxy- α -cyclohexylaminopropiophenone) : 1-(1,3-benzodioxol-4-yl)-2-(pyrrolidin-1-yl)pentan-1-one (2,3-methylenedioxy pyrovalerone) |
| Mecloqualone | 2572 | I | N | Nubarene |
| Mephedrone (4-Methyl-N-methylcathinone) | 1248 | I | N | 4-MMC (Positional Isomers: 3-Methyl-methcathinone, Buphedrone, Ethcathinone, N,N-Dimethyl-cathinone) |
| Mescaline | 7381 | I | N | Constituent of "Peyote" cacti |
| Mesocarb (N-phenyl-N'-(3-(1-phenylpropan-2-yl)-1,2,3-oxadiazol-3-ium-5-yl)carbamimidate) | 1227 | I | N | |
| meta-Fluorofentanyl (N-(3-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)propionamide) | 9857 | I | Y | |
| meta-Fluoroisobutryl fentanyl (N-(3-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide) | 9858 | I | Y | |
| Methaqualone | 2565 | I | N | Quaalude, Parest, Somnafac, Optimil, Mandrax |
| Methcathinone | 1237 | I | N | N-Methylcathinone, "cat" |
| Methiopropamine (N-methyl-1-(thiophen-2-yl)propan-2-amine) | 1478 | I | N | |
| Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3-methylbutanoate | 7021 | I | N | FUB-AMB, MMB- FUBINACA, AMB-FUBINACA |
| Methyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate | 7041 | I | N | 5F-MDMB-PICA (Positional Isomer: 5F-EMB-PICA or 5-fluoro-EMB-PICA) |
| Methyldesorphine | 9302 | I | Y | |
| Methyldihydromorphine | 9304 | I | Y | |
| Methylene (3,4-Methylenedioxy-N-methylcathinone) | 7540 | I | N | (Positional Isomer: 2,3-methylenedioxymethcathinone (2,3-MDMC, 1-(benzo[d][1,3]dioxol-4-yl)-2-(methylamino)propan-1-one)) |
| Metodesnitazene (N,N-diethyl-2-(2-(4-methoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine) | 9764 | I | Y | |
| Metonitazene (N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine) | 9757 | I | Y | |
| MMB-CHMICA, AMB-CHMICA (methyl 2-(1-(cyclohexylmethyl)-1 H-indole-3-carboxamido)-3-methylbutanoate) | 7044 | I | N | |
| MMB-FUBICA (methyl 2-(1-(4-fluorobenzyl)-1H-indole-3-carboxamido)-3-methyl butanoate) | 7095 | I | N | MMB-FUBICA |
| Morpheridine | 9632 | I | Y | |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|---|------|------------|------|--|
| Morphine methylbromide | 9305 | I | Y | |
| Morphine methylsulfonate | 9306 | I | Y | |
| Morphine-N-oxide | 9307 | I | Y | |
| MT-45 (1-cyclohexyl-4-(1,2-diphenylethyl)piperazine)) | 9560 | I | Y | MT-45 |
| Myrophine | 9308 | I | Y | |
| N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-carboxamide | 9843 | I | Y | Tetrahydrofuryl fentanyl |
| N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)propionamide | 9816 | I | Y | Ortho-fluorofentanyl or 2-fluorofentanyl |
| N-(Adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide | 7047 | I | N | FUB-AKB48; FUB-APINACA; AKB48 N-(4-FLUOROBENZYL) |
| N,N-Dimethylamphetamine | 1480 | I | N | |
| Naphyrone | 1258 | I | N | naphthylpyrovalerone; 1-(naphthalen-2-yl)-2-(pyrrolidin-1-yl)pentan-1-one) (Positional Isomer: α -naphyrone) |
| N-Benzylpiperazine | 7493 | I | N | BZP, 1-benzylpiperazine |
| N-desethyl isotonitazene (N-ethyl-2-(2-(4-isopropoxylbenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amin) | 9760 | I | Y | |
| N-Ethyl-1-phenylcyclohexylamine | 7455 | I | N | PCE |
| N-Ethyl-3-piperidyl benzilate | 7482 | I | N | JB 323 |
| N-Ethylamphetamine | 1475 | I | N | NEA |
| N-ethylhexedrone | 7246 | I | N | α -ethylaminohexanophenone; 2-(ethylamino)-1-phenylhexan-1-one) |
| N-Ethylpentylone (1-(1,3-benzodioxol-5-yl)-2-(ethylamino)-pentan-1-one) | 7543 | I | N | Ephylone (Positional Isomers: 3,4-methylenedioxy- α -propylaminobutiphenone; N,N-dimethylpentylone) |
| N-Hydroxy-3,4-methylenedioxymphetamine | 7402 | I | N | N-hydroxy MDA |
| Nicocodeine | 9309 | I | Y | |
| Nicomorphine | 9312 | I | Y | Vilan |
| NM2201; CBL2201 (Naphthalen-1-yl 1-(5-fluoropentyl)-1 H-indole-3-carboxylate) | 7221 | I | N | |
| N-Methyl-3-piperidyl benzilate | 7484 | I | N | JB 336 |
| Noracymethadol | 9633 | I | Y | |
| Norlevorphanol | 9634 | I | Y | |
| Normethadone | 9635 | I | Y | Phenylidimazone |
| Normorphine | 9313 | I | Y | |
| Norpipanone | 9636 | I | Y | |
| N-piperidinyl etonitazene (2-(4-ethoxybenzyl)-5-nitro-1-(2-(piperidin-1-yl)ethyl)-1H-benzimidazole) | 9761 | I | Y | etonitazepine |
| N-pyrrolidino etonitazene (2-(4-ethoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1H-benzimidazole) | 9758 | I | Y | etonitazepyne |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|---|------|------------|------|--|
| Ocfentanil | 9838 | I | Y | N-(2-fluorophenyl)-2-methoxy-N-(1-phenethylpiperidin-4-yl)acetamide |
| ortho-Fluoroacryl fentanyl (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)acrylamide) | 9852 | I | Y | |
| ortho-Fluorobutyryl fentanyl (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide; also known as 2-fluorobutyryl fentanyl) | 9846 | I | Y | |
| ortho-Fluorofuranyl fentanyl (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)furan-2-carboxamide) | 9863 | I | Y | |
| ortho-Fluoroisobutyryl fentanyl (N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide) | 9853 | I | Y | |
| ortho-Methyl acetyl fentanyl (N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide; also known as 2-methyl acetyl fentanyl) | 9848 | I | Y | |
| ortho-Methyl methoxyacetyl fentanyl (2-methoxy-N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-yl)acetamide) | 9820 | I | Y | 2-methyl methoxyacetyl fentanyl |
| Para-chloroisobutyryl fentanyl | 9826 | I | Y | N-(4-chlorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide |
| Para-Fluoro furanyl fentanyl (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)furan-2-carboxamide) | 9854 | I | Y | |
| Para-fluorobutyryl fentanyl | 9823 | I | Y | N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide |
| Para-Fluorofentanyl | 9812 | I | Y | China White, fentanyl |
| Parahexyl | 7374 | I | N | Synhexyl |
| Para-methoxybutyryl fentanyl | 9837 | I | Y | N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl)butyramide |
| para-Methoxyfuranyl fentanyl (N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl)furan-2-carboxamide) | 9859 | I | Y | |
| Para-Methoxymethamphetamine (PMMA), 1-(4-methoxyphenyl)-N-methylpropan-2-amine | 1245 | I | N | |
| para-Methylcyclopropylfentanyl (N-(4-methylphenyl)-N-(1-phenethylpiperidin-4-yl)cyclopropanecarboxamide) | 9865 | I | Y | |
| Para-Methylfentanyl (N-(4-methylphenyl)-N-(1-phenethylpiperidin-4-yl)propionamide; also known as 4-methylfentanyl) | 9817 | I | Y | |
| PB-22 (Quinolin-8-yl 1-pentyl-1H-indole-3-carboxylate) | 7222 | I | N | QUPIC; PB-22 |
| Pentedrone (α -methylaminovalerophenone) | 1246 | I | N | 2-(methylamino)-1-phenylpentan-1-one) (Positional Isomers: 3-methylethcathinone (3-MEC), 4-ethylmethcathinone (4-EMC), 4-methylbuphedrone (4-MeMABP;4-MeBP), 3,4-dimethylmethcathinone (3,4-DMMC), N-ethylbuphedrone (NEB), N-ethyl-N-methylcathinone(EMC)) |
| Pentylone | 7542 | I | N | bk-MBDP; 1-(1,3-benzodioxol-5-yl)-2-(methylamino)pentan-1-one) (Positional Isomers: dibutylone (bk-DMBDB) and propylone (3',4'-methylenedioxy-N-propylaminocathinone; 1-(benzo[d][1,3]dioxol-5-yl)-2-(propylamino)propan-1-one); 2,3-methylenedioxy- α -ethylaminobutiphenone) |
| Peyote | 7415 | I | N | Cactus which contains mescaline |
| Phenadoxone | 9637 | I | Y | |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|--|------|------------|------|--|
| Phenampromide | 9638 | I | Y | |
| Phenomorphan | 9647 | I | Y | |
| Phenoperidine | 9641 | I | Y | Operidine, Lealgin |
| Phenyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylbenzamide; also known as benzoyl fentanyl) | 9841 | I | Y | |
| Pholcodine | 9314 | I | Y | Copholco, Adaphol, Codisol, Lantuss, Pholcolin |
| Piritramide | 9642 | I | Y | Piridolan |
| Proheptazine | 9643 | I | Y | |
| Properidine | 9644 | I | Y | |
| Propiram | 9649 | I | Y | Algeril |
| Protonitazene (N,N-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine) | 9759 | I | Y | |
| Psilocybin | 7437 | I | N | Constituent of "Magic mushrooms" |
| Psilocyn | 7438 | I | N | Psilocin, constituent of "Magic mushrooms" |
| | | | | (Positional Isomers: 6-hydroxy DMT; 7-hydroxy DMT) |
| Racemoramide | 9645 | I | Y | |
| SR-18 (1-Cyclohexylethyl-3-(2-methoxyphenylacetyl) indole) | 7008 | I | N | SR-18 and RCS-8 |
| SR-19 (1-Pentyl-3-[(4-methoxy)-benzoyl] indole | 7104 | I | N | SR-19 and RCS-4 |
| Tetrahydrocannabinols | 7370 | I | N | THC, Delta-8 THC, Delta-9 THC, dronabinol and others |
| Thebacon | 9315 | I | Y | Acetylhydrocodone, Acedicon, Thebacetyl |
| Thiofentanyl | 9835 | I | Y | Chine white, fentanyl |
| Thiofuranyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylthiophene-2-carboxamide; also known as 2-thiofuranyl fentanyl; thiophene fentanyl) | 9839 | I | Y | |
| THJ-2201 [1-(5-fluoropentyl)-1H-indazol-3-yl](naphthalen-1-yl)methanone | 7024 | I | N | THJ-2201 |
| Tilidine | 9750 | I | Y | Tilidate, Valoron, Kitadol, Lak, Tilsa |
| Trimeperidine | 9646 | I | Y | Promedolum |
| U-47700 (3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide) | 9547 | I | Y | U-47700 |
| UR-144 (1-Pentyl-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)metanone | 7144 | I | N | UR-144 |
| Valeryl fentanyl | 9840 | I | Y | N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide |
| Zipeprol (1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1-yl]-1-phenylpropan-2-ol) | 9873 | I | Y | |
| α -PiHP (4-methyl-1-phenyl-2-(pyrrolidin-1-yl)pentan-1-one) | 7551 | I | N | α -PiHP; alpha-PiHP |
| 1-Phenylcyclohexylamine | 7460 | II | N | PCP precursor |
| 1-Piperidinocyclohexanecarbonitrile | 8603 | II | N | PCC, PCP precursor |
| 4-Anilino-N-phenethyl-4-piperidine (ANPP) | 8333 | II | N | ANPP, Despropionyl fentanyl |
| Alfentanil | 9737 | II | Y | Alfenta |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|--|------|------------|------|---|
| Alphaprodine | 9010 | II | Y | Nisentil |
| Amobarbital | 2125 | II | N | Amytal, Tuinal |
| Amphetamine | 1100 | II | N | Dexedrine, Adderall, Obetrol |
| Anileridine | 9020 | II | Y | Leritine |
| Bezitramide | 9800 | II | Y | Burgodin |
| Carfentanil | 9743 | II | Y | Wildnil |
| Coca Leaves | 9040 | II | Y | |
| Cocaine | 9041 | II | Y | Methyl benzoyleccgonine, Crack |
| Codeine | 9050 | II | Y | Morphine methyl ester, methyl morphine |
| Dextropropoxyphene, bulk (non-dosage forms) | 9273 | II | Y | Propoxyphene |
| Dihydrocodeine | 9120 | II | Y | Didrate, Parzone |
| Dihydroetorphine | 9334 | II | Y | DHE |
| Diphenoxylate | 9170 | II | Y | |
| Dronabinol in an oral solution in a drug product approved for marketing by the U.S. Food and Drug Administration | 7365 | II | N | Syndros |
| Ecgonine | 9180 | II | Y | Cocaine precursor, in Coca leaves |
| Ethylmorphine | 9190 | II | Y | Dionin |
| Etorphine HCl | 9059 | II | Y | M 99 |
| Fentanyl | 9801 | II | Y | Duragesic, Oralet, Actiq, Sublimaze, Innovar |
| Glutethimide | 2550 | II | N | Doriden, Dorimide |
| Hydrocodone | 9193 | II | Y | dihydrocodeinone |
| Hydromorphone | 9150 | II | Y | Dilauidid, dihydromorphinone |
| Isomethadone | 9226 | II | Y | Isoamidone |
| Levo-alphacetylmethadol | 9648 | II | Y | LAAM, long acting methadone, levomethadyl acetate |
| Levomethorphan | 9210 | II | Y | |
| Levorphanol | 9220 | II | Y | Levo-Dromoran |
| Lisdexamfetamine | 1205 | II | N | Vyvanse |
| Meperidine | 9230 | II | Y | Demerol, Mepergan, pethidine |
| Meperidine intermediate-A | 9232 | II | Y | Meperidine precursor |
| Meperidine intermediate-B | 9233 | II | Y | Meperidine precursor, normeperidine |
| Meperidine intermediate-C | 9234 | II | Y | Meperidine precursor |
| Metazocine | 9240 | II | Y | |
| Methadone | 9250 | II | Y | Dolophine, Methadose, Amidone |
| Methadone intermediate (4-cyano-2-dimethylamino-4,4-diphenylbutane) | 9254 | II | Y | Methadone precursor |
| Methamphetamine | 1105 | II | N | Desoxyn, D-desoxyephedrine, ICE, Crank, Speed |
| Methylphenidate | 1724 | II | N | Concerta, Ritalin, Methylin |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

21-Nov-24

Page 12 of 20

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|--|------|------------|------|--|
| Metopon | 9260 | II | Y | |
| Moramide-intermediate | 9802 | II | Y | |
| Morphine | 9300 | II | Y | MS Contin, Roxanol, Oramorph, RMS, MSIR |
| Nabilone | 7379 | II | N | Cesamet |
| Norfentanyl (N-phenyl-N-(piperidin-4-yl)propionamide) | 8366 | II | Y | |
| Noroxymorphone | 9668 | II | Y | |
| Oliceridine (N-[(3-methoxythiophen-2-yl)methyl] ((2-[(9R)-9-(pyridin-2-yl)-6-oxaspiro [4.5]decan-9-yl]ethyl{time})amine fumarate) | 9245 | II | Y | |
| Opium extracts | 9610 | II | Y | |
| Opium fluid extract | 9620 | II | Y | |
| Opium poppy | 9650 | II | Y | Papaver somniferum |
| Opium tincture | 9630 | II | Y | Laudanum |
| Opium, granulated | 9640 | II | Y | Granulated opium |
| Opium, powdered | 9639 | II | Y | Powdered opium |
| Opium, raw | 9600 | II | Y | Raw opium, gum opium |
| Oripavine | 9330 | II | Y | |
| Oxycodone | 9143 | II | Y | OxyContin, Percocet, Endocet, Roxicodone, Roxicet, |
| Oxymorphone | 9652 | II | Y | Numorphan |
| Pentobarbital | 2270 | II | N | Nembutal |
| Phenazocine | 9715 | II | Y | Narphen, Prinadol |
| Phencyclidine | 7471 | II | N | PCP, Sernylan |
| Phenmetrazine | 1631 | II | N | Preludin |
| Phenylacetone | 8501 | II | N | P2P, phenyl-2-propanone, benzyl methyl ketone |
| Piminodine | 9730 | II | Y | |
| Poppy Straw | 9650 | II | Y | Opium poppy capsules, poppy heads |
| Poppy Straw Concentrate | 9670 | II | Y | Concentrate of Poppy Straw, CPS |
| Racemethorphan | 9732 | II | Y | |
| Racemorphan | 9733 | II | Y | Dromoran |
| Remifentanil | 9739 | II | Y | Ultiva |
| Secobarbital | 2315 | II | N | Seconal, Tuinal |
| Sufentanil | 9740 | II | Y | Sufenta |
| Tapentadol | 9780 | II | Y | |
| Thebaine | 9333 | II | Y | Precursor of many narcotics |
| Thiafentanil | 9729 | II | Y | Thianil |
| [3,2-c]-furazan-5 α -androstan-17 β -ol | 4000 | III | N | |
| [3,2-c]pyrazole-androst-4-en-17 β -ol | 4000 | III | N | |
| 13 β -ethyl-17 β -hydroxygon-4-en-3-one | 4000 | III | N | |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

21-Nov-24

Page 13 of 20

| SUBSTANCE | CSA | | | OTHER NAMES |
|--|------|-----|------|---|
| | CSCN | SCH | NARC | |
| 17 α -methyl-3 α ,17 β -dihydroxy-5 α -androstane | 4000 | III | N | |
| 17 α -methyl-3 β ,17 β -dihydroxy-5 α -androstane | 4000 | III | N | |
| 17 α -methyl-3 β ,17 β -dihydroxyandrost-4-ene | 4000 | III | N | |
| 17 α -methyl-4-hydroxynandrolone (17 α -methyl-4-hydroxy-17 β -hydroxyestr-4-en-3-one) | 4000 | III | N | |
| 17 α -methyl-5 α -androstan-17 β -ol | 4000 | III | N | |
| 17 α -methyl-androst-2-ene-3,17 β -diol | 4000 | III | N | |
| 17 α -methyl-androsta-1,4-diene-3,17 β -diol | 4000 | III | N | |
| 17 α -methyl-androstan-3-hydroxyimine-17 β -ol | 4000 | III | N | |
| 17 α -methyl- Δ 1-dihydrotestosterone (17 β -hydroxy-17 α -methyl-5 α -androst-1-en-3-one) | 4000 | III | N | 17 α -methyl-1-testosterone |
| 17 β -hydroxy-androstano[2,3-d]isoxazole | 4000 | III | N | |
| 17 β -hydroxy-androstano[3,2-c]isoxazole | 4000 | III | N | |
| 18 α -homo-3-hydroxy-estra-2,5(10)-dien-17-one | 4000 | III | N | |
| 19-nor-4,9(10)-androstadienedione (estra-4,9(10)-diene-3,17-dione) | 4000 | III | N | |
| 19-nor-4-androstenediol (3 α ,17 β -dihydroxyestr-4-ene) | 4000 | III | N | |
| 19-nor-4-androstenediol (3 β ,17 β -dihydroxyestr-4-ene) | 4000 | III | N | |
| 19-nor-4-androstenedione (estr-4-en-3,17-dione) | 4000 | III | N | |
| 19-nor-5-androstenediol (3 α ,17 β -dihydroxyestr-5-ene) | 4000 | III | N | |
| 19-nor-5-androstenediol (3 β ,17 β -dihydroxyestr-5-ene) | 4000 | III | N | |
| 19-nor-5-androstenedione (estr-5-en-3,17-dione) | 4000 | III | N | |
| 1-androstenediol (3 α ,17 β -dihydroxy-5 α -androst-1-ene) | 4000 | III | N | |
| 1-androstenediol (3 β ,17 β -dihydroxy-5 α -androst-1-ene) | 4000 | III | N | |
| 1-androstenedione (5 α -androst-1-en-3,17-dione) | 4000 | III | N | |
| 2 α ,17 α -dimethyl-17 β -hydroxy-5 β -androstan-3-one | 4000 | III | N | |
| 2 α ,3 α -epithio-17 α -methyl-5 α -androstan-17 β -ol | 4000 | III | N | |
| 3 α ,17 β -dihydroxy-5 α -androstane | 4000 | III | N | |
| 3 β ,17 β -dihydroxy-5 α -androstane | 4000 | III | N | |
| 3 β -hydroxy-estra-4,9,11-trien-17-one | 4000 | III | N | |
| 4-androstenediol (3 β ,17 β -dihydroxy-androst-4-ene) | 4000 | III | N | 4-AD |
| 4-androstenedione (androst-4-en-3,17-dione) | 4000 | III | N | |
| 4-chloro-17 α -methyl-17 β -hydroxy-androst-4-en-3-one | 4000 | III | N | |
| 4-chloro-17 α -methyl-17 β -hydroxy-androst-4-ene-3,11-dione | 4000 | III | N | |
| 4-chloro-17 α -methyl-androst-4-ene-3 β ,17 β -diol | 4000 | III | N | |
| 4-chloro-17 α -methyl-androsta-1,4-diene-3,17 β -diol | 4000 | III | N | |
| 4-dihydrotestosterone (17 β -hydroxy-androstan-3-one) | 4000 | III | N | Anabolex, Andractim, Pesomax, Stanolone |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

21-Nov-24

Page 14 of 20

| SUBSTANCE | CSCN | CSA | | NARC | OTHER NAMES |
|---|------|-----|---|--|-------------|
| | | SCH | | | |
| 4-hydroxy-19-nortestosterone (4,17 β -dihydroxyestr-4-en-3-one) | 4000 | III | N | | |
| 4-hydroxy-androst-4-ene-3,17-dione | 4000 | III | N | Listed as 4-Hydroxy-androst-4-ene-3,17-dione[3,2-c]pyrazole-5 α -androstan-17 β -ol | |
| 4-hydroxytestosterone (4,17 β -dihydroxyandrost-4-en-3-one) | 4000 | III | N | | |
| 5-androstanediol (3 β ,17 β -dihydroxy-androst-5-ene) | 4000 | III | N | | |
| 5-androstanedione (androst-5-en-3,17-dione) | 4000 | III | N | | |
| 5 α -androstan-3,17-dione | 4000 | III | N | androstanedione | |
| 5 α -androstan-3,6,17-trione | 4000 | III | N | | |
| 6-bromo-androsta-1,4-diene-3,17-dione | 4000 | III | N | | |
| 6-bromo-androstan-3,17-dione | 4000 | III | N | | |
| 6 α -methyl-androst-4-ene-3,17-dione | 4000 | III | N | | |
| Amobarbital & noncontrolled active ingred. | 2126 | III | N | | |
| Amobarbital suppository dosage form | 2126 | III | N | | |
| anabolic steroids | 4000 | III | N | Any substance meeting the definition of anabolic steroid as set forth in 21 CFR 1300.01 | |
| Aprobarbital | 2100 | III | N | Alurate | |
| Barbituric acid derivative | 2100 | III | N | Barbiturates not specifically listed | |
| Benzphetamine | 1228 | III | N | Didrex, Inapetyl | |
| bolasterone (7 α ,17 α -dimethyl-17 β -hydroxyandrost-4-en-3-one) | 4000 | III | N | | |
| boldenone (17 β -hydroxyandrost-1,4-diene-3-one) | 4000 | III | N | Equipoise, Parenabol, Vebonol, dehydrotestosterone | |
| boldione (androsta-1,4-diene-3,17-dione) | 4000 | III | N | | |
| Buprenorphine | 9064 | III | Y | Buprenex, Temgesic, Subutex, Suboxone | |
| Butabarbital (secbutabarbital) | 2100 | III | N | Butisol, Butibel | |
| Butalbital | 2100 | III | N | Fiorinal, Butalbital with aspirin | |
| Butobarbital (butethal) | 2100 | III | N | Soneryl (UK) | |
| calusterone (7 β ,17 α -dimethyl-17 β -hydroxyandrost-4-en-3-one) | 4000 | III | N | Methosarb | |
| Chlorhexadol | 2510 | III | N | Mechlral, Mecoral, Medodorm, Chloraladol | |
| Chlorphentermine | 1645 | III | N | Pre-Sate, Lucofen, Apsedon, Desopimon | |
| Clortermine | 1647 | III | N | Voranil | |
| clostebol (4-chloro-17 β -hydroxyandrost-4-en-3-one) | 4000 | III | N | Alfa-Trofodermin, Clostene, 4-chlorotestosterone | |
| Codeine & isoquinoline alkaloid 90 mg/du | 9803 | III | Y | Codeine with papaverine or noscapine | |
| Codeine combination product 90 mg/du | 9804 | III | Y | Empirin, Fiorinal, Tylenol, ASA or APAP w/codeine | |
| dehydrochloromethyltestosterone (4-chloro-17 β -hydroxy-17 α -methyl-androst-4-en-3-one) | 4000 | III | N | Oral-Turinabol | |
| desoxymethyltestosterone (17 α -methyl-5 α -androst-2-en-17 β -ol) | 4000 | III | N | Madol | |
| Dihydrocodeine combination product 90 mg/du | 9807 | III | Y | Synalgos-DC, Compal | |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

21-Nov-24

Page 15 of 20

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|--|------|------------|------|---|
| Dronabinol (synthetic) in sesame oil in soft gelatin capsule as approved by FDA | 7369 | III | N | Marinol, synthetic THC in sesame oil/soft gelatin as approved by FDA |
| drostanolone (17 β -hydroxy-2 α -methyl-5 α -androstan-3-one) | 4000 | III | N | Drolban, Masterid, Permastril |
| Embutramide | 2020 | III | N | Tributane |
| estra-4,9,11-triene-3,17-dione | 4000 | III | N | |
| ethylestrenol (17 α -ethyl-17 β -hydroxyestr-4-ene) | 4000 | III | N | Maxibolin, Orabolin, Durabolin-O, Duraboral |
| Ethylmorphine combination product 15 mg/du | 9808 | III | Y | |
| fluoxymesterone (9-fluoro-17 α -methyl-11 β ,17 β -dihydroxyandrost-4-en-3-one) | 4000 | III | N | Anadroid-F, Halotestin, Ora-Testryl |
| formeboleone (2-formyl-17 α -methyl-11 α ,17 β -dihydroxyandrost-1,4-dien-3-one) | 4000 | III | N | Esiclene, Hubernal |
| furazabol (17 α -methyl-17 β -hydroxyandrostano[2,3-c]-furazan) | 4000 | III | N | Frazalon, Miotolon, Qu Zhi Shu |
| Gamma Hydroxybutyric Acid preparations | 2012 | III | N | Xyrem |
| Ketamine | 7285 | III | N | Ketaset, Ketalar, Special K, K |
| Lysergic acid | 7300 | III | N | LSD precursor |
| Lysergic acid amide | 7310 | III | N | LSD precursor |
| mestanolone (17 α -methyl-17 β -hydroxy-5 α -androstan-3-one) | 4000 | III | N | Assimil, Ermalone, Methybol, Tantarone |
| mesterolone (1 α -methyl-17 β -hydroxy-5 α -androstan-3-one) | 4000 | III | N | Androviron, Proviron, Testiwop |
| methandienone (17 α -methyl-17 β -hydroxyandrost-1,4-dien-3-one) | 4000 | III | N | Dianabol, Metabolina, Nerobol, Perbolin |
| methandriol (17 α -methyl-3 β ,17 β -dihydroxyandrost-5-ene) | 4000 | III | N | Sinesex, Stenediol, Troformone |
| methasterone (2 α ,17 α -dimethyl-5 α -androstan-17 β -ol-3-one) | 4000 | III | N | Methasterone; 2 α ,17 α -dimethyl-17 β -hydroxy-5 α -androstan-3-one |
| methenolone (1-methyl-17 β -hydroxy-5 α -androst-1-en-3-one) | 4000 | III | N | Primobolan, Primobolan Depot, Primobolan S |
| methyldienolone (17 α -methyl-17 β -hydroxyestra-4,9(10)-dien-3-one) | 4000 | III | N | |
| methyltestosterone (17 α -methyl-17 β -hydroxyandrost-4-en-3-one) | 4000 | III | N | Android, Oreton, Testred, Virilon |
| methyltrienolone (17 α -methyl-17 β -hydroxyestra-4,9,11-trien-3-one) | 4000 | III | N | Metribolone |
| Methyprylon | 2575 | III | N | Noludar |
| mibolerone (7 α ,17 α -dimethyl-17 β -hydroxyestr-4-en-3-one) | 4000 | III | N | Cheque, Matenon |
| Morphine combination product/50 mg/(100 ml or 100 gm) | 9810 | III | Y | |
| Nalorphine | 9400 | III | Y | Nalline |
| nandrolone (17 β -hydroxyestr-4-en-3-one) | 4000 | III | N | Deca-Durabolin, Durabolin, Durabolin-50 |
| norbolethone (13 β ,17 α -diethyl-17 β -hydroxygon-4-en-3-one) | 4000 | III | N | Genabol |
| norclostebol (4-chloro-17 β -hydroxyestr-4-en-3-one) | 4000 | III | N | Anabol-4-19, Lentabol |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

21-Nov-24

Page 16 of 20

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|---|------|------------|------|--|
| norethandrolone (17 α -ethyl-17 β -hydroxyestr-4-en-3-one) | 4000 | III | N | Nilevar, Pronabol, Solevar |
| normethandrolone (17 α -methyl-17 β -hydroxyestr-4-en-3-one) | 4000 | III | N | Lutenin, Matronal, Orgasteron |
| Opium combination product 25 mg/du | 9809 | III | Y | Paregoric, other combination products |
| oxandrolone (17 α -methyl-17 β -hydroxy-2-oxa-5 α -androstan-3-one) | 4000 | III | N | Anavar, Lonavar, Oxandrin, Provitar, Vasorome |
| oxymesterone (17 α -methyl-4,17 β -dihydroxyandrost-4-en-3-one) | 4000 | III | N | Anamidol, Balnimax, Oranabol, Oranabol 10 |
| oxymetholone (17 α -methyl-2-hydroxymethylene-17 β -hydroxy-5 α -androstan-3-one) | 4000 | III | N | Anadrol-50, Adroyd, Anapolon, Anasteron, Pardroyd |
| Pentobarbital & noncontrolled active ingred. | 2271 | III | N | FP-3 |
| Pentobarbital suppository dosage form | 2271 | III | N | WANS |
| Perampanel | 2261 | III | N | Fycompa, [2-(2-oxo-1-phenyl-5-pyridin-2-yl-1,2-dihydropyridin-3-yl) benzonitrile] |
| Phendimetrazine | 1615 | III | N | Plegine, Prelu-2, Bontril, Melfiat, Statobex |
| prostanozol (17 β -hydroxy-5 α -androstano[3,2-c]pyrazole) | 4000 | III | N | Prostanozol; [3,2-c]pyrazole-5 α -androstan-17 β -ol |
| Secobarbital & noncontrolled active ingred | 2316 | III | N | |
| Secobarbital suppository dosage form | 2316 | III | N | |
| stanozolol (17 α -methyl-17 β -hydroxy-5 α -androst-2-eno[3,2-c]pyrazole) | 4000 | III | N | Winstrol, Winstrol-V |
| stenbolone (17 β -hydroxy-2-methyl-5 α -androst-1-en-3-one) | 4000 | III | N | |
| Stimulant compounds previously excepted | 1405 | III | N | Mediatric |
| Sulfondiethylmethane | 2600 | III | N | |
| Sulfonethylmethane | 2605 | III | N | |
| Sulfonmethane | 2610 | III | N | |
| Talbutal | 2100 | III | N | Lotusate |
| testolactone (13-hydroxy-3-oxo-13,17-secoandrosta-1,4-dien-17-oic acid lactone) | 4000 | III | N | Teolit, Teslac |
| testosterone (17 β -hydroxyandrost-4-en-3-one) | 4000 | III | N | Android-T, Androlan, Depotest, Delatestryl |
| tetrahydrogestrinone (13 β ,17 α -diethyl-17 β -hydroxygon-4,9,11-trien-3-one) | 4000 | III | N | THG |
| Thiamylal | 2100 | III | N | Surital |
| Thiopental | 2100 | III | N | Pentothal |
| Tiletamine & Zolazepam Combination Product | 7295 | III | N | Telazol |
| trenbolone (17 β -hydroxyestr-4,9,11-trien-3-one) | 4000 | III | N | Finaplix-S, Finajet, Parabolan |
| Vinbarbital | 2100 | III | N | Delvinal, vinbarbitone |
| Δ 1-dihydrotestosterone (17 β -hydroxy-5 α -androst-1-en-3-one) | 4000 | III | N | 1-Testosterone |
| Alfaxalone | 2731 | IV | N | Alfaxan, 5 α -pregnan-3 α -ol-11,20-dione |
| Alprazolam | 2882 | IV | N | Xanax |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|---|------|------------|------|---|
| Barbital | 2145 | IV | N | Veronal, Plexonal, barbitone |
| Brexanolone (3 α -hydroxy-5 α -pregnan-20-one) | 2400 | IV | N | Allopregnanolone |
| Bromazepam | 2748 | IV | N | Lexotan, Lexatin, Lexotanil |
| Butorphanol | 9720 | IV | N | Stadol, Stadol NS, Torbugesic, Torbutrol |
| Camazepam | 2749 | IV | N | Albego, Limpidon, Paxor |
| Carisoprodol | 8192 | IV | N | Soma |
| Cathine | 1230 | IV | N | Constituent of "Khat" plant, (+)-norpseudoephedrine |
| Chloral betaine | 2460 | IV | N | Beta Chlor |
| Chloral hydrate | 2465 | IV | N | Noctec |
| Chlordiazepoxide | 2744 | IV | N | Librium, Libritabs, Limbitrol, SK-Lygen |
| Clobazam | 2751 | IV | N | Urbadan, Urbanyl |
| Clonazepam | 2737 | IV | N | Klonopin, Clonopin |
| Clorazepate | 2768 | IV | N | Tranxene |
| Clotiazepam | 2752 | IV | N | Trecalmo, Rize, Clozan, Veratran |
| Cloxzazolam | 2753 | IV | N | Akton, Lubalix, Olcadil, Sepazon |
| Daridorexant [(S)-2-(5-chloro-4-methyl-1H benzo[d]imidazol-2-yl)-2-methylpyrrolidin-1-yl](5-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone | 2410 | IV | N | QUVIVIQ |
| Delorazepam | 2754 | IV | N | |
| Dextropropoxyphene dosage forms | 9278 | IV | Y | Darvon, propoxyphene, Darvocet, Propacet |
| Diazepam | 2765 | IV | N | Valium, Diastat |
| Dichloralphenazone | 2467 | IV | N | Midrin, dichloralantipyrine |
| Diethylpropion | 1610 | IV | N | Tenuate, Tepanil |
| Difenoxin 1 mg/25 ug AtSO4/du | 9167 | IV | Y | Motofen |
| Eluxadoline | 9725 | IV | N | VIBERZI |
| Estazolam | 2756 | IV | N | ProSom, Domnamid, Eurodin, Nuctalon |
| Ethchlorvynol | 2540 | IV | N | Placidyl |
| Ethinamate | 2545 | IV | N | Valmid, Valamin |
| Ethyl loflazepate | 2758 | IV | N | |
| Fencamfamin | 1760 | IV | N | Reactivan |
| Fenproporex | 1575 | IV | N | Gacilin, Solvolip |
| Fludiazepam | 2759 | IV | N | |
| Flunitrazepam | 2763 | IV | N | Rohypnol, Narcozep, Darkene, Roipnol |
| Flurazepam | 2767 | IV | N | Dalmane |
| Fospropofol | 2138 | IV | N | Lusedra |
| Halazepam | 2762 | IV | N | Paxipam |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

21-Nov-24

Page 18 of 20

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|--|------|------------|------|---|
| Haloxazolam | 2771 | IV | N | |
| Ketazolam | 2772 | IV | N | Anxon, Loftran, Solutran, Contamex |
| Lemborexant | 2245 | IV | N | (1R,2S)-2-[(2,4-dimethylpyrimidin-5-yl)oxymethyl]-2-(3-fluorophenyl)-N-(5-fluoropyridin-2-yl)cyclopropane-1-carboxamide |
| Loprazolam | 2773 | IV | N | |
| Lorazepam | 2885 | IV | N | Ativan |
| Lorcaserin | 1625 | IV | N | Belviq |
| Lormetazepam | 2774 | IV | N | Noctamid |
| Mazindol | 1605 | IV | N | Sanorex, Mazanor |
| Mebutamate | 2800 | IV | N | Capla |
| Medazepam | 2836 | IV | N | Nobrium |
| Mefenorex | 1580 | IV | N | Anorexic, Amexate, Doracil, Pondinil |
| Meprobamate | 2820 | IV | N | Miltown, Equanil, Micrainin, Equagesic, Meprospan |
| Methohexital | 2264 | IV | N | Brevital |
| Methylphenobarbital (mephobarbital) | 2250 | IV | N | Mebaral, mephobarbital |
| Midazolam | 2884 | IV | N | Versed |
| Modafinil | 1680 | IV | N | Provigil |
| Nimetazepam | 2837 | IV | N | Erimin |
| Nitrazepam | 2834 | IV | N | Mogadon |
| Nordiazepam | 2838 | IV | N | Nordazepam, Demadar, Madar |
| Oxazepam | 2835 | IV | N | Serax, Serenid-D |
| Oxazolam | 2839 | IV | N | Serenal, Convertal |
| Paraldehyde | 2585 | IV | N | Paral |
| Pemoline | 1530 | IV | N | Cylert |
| Pentazocine | 9709 | IV | N | Talwin, Talwin NX, Talacen, Talwin Compound |
| Petriclchloral | 2591 | IV | N | Pentaerythritol chloral, Periclor |
| Phenobarbital | 2285 | IV | N | Luminal, Bellergal-S |
| Phentermine | 1640 | IV | N | Ionamin, Fastin, Adipex-P, Obe-Nix, Zantryl |
| Pinazepam | 2883 | IV | N | Domar |
| Pipradrol | 1750 | IV | N | Detaril, Stimolag Fortis |
| Prazepam | 2764 | IV | N | Centrax |
| Quazepam | 2881 | IV | N | Doral |
| Remimazolam (4H-imidazol[1,2-a][1,4]benzodiazepine-4-propionic acid) | 2846 | IV | N | 8-bromo-1-methyl-6-(2-pyridinyl)-(4S)-methyl ester, benzenesulfonate (1:1) and also, methyl 3-[(4S)-8-bromo-1-methyl-6-pyridin-2-yl-4H-imidazo[1,2-a][1,4]benzodiazepin-4yl]propanoate benzenesulfonic acid |
| Serdexmethylphenidate | 1729 | IV | N | |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

21-Nov-24

Page 19 of 20

| SUBSTANCE | CSCN | CSA SCH | NARC | OTHER NAMES |
|--|------|------------|------|--|
| Sibutramine | 1675 | IV | N | Meridia |
| Solriamfetol (2-amino-3-phenylpropyl carbamate; benzenepropanol, beta-amino-, carbamate (ester)) | 1650 | IV | N | |
| SPA | 1635 | IV | N | 1-dimethylamino-1,2-diphenylethane, Lefetamine |
| Suvorexant | 2223 | IV | N | MK-4305, [(7R)-4-(5-chloro-1,3-benzoxazol-2-yl)-7-methyl-1,4-diazepan-1-yl][5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl]methanone |
| Temazepam | 2925 | IV | N | Restoril |
| Tetrazepam | 2886 | IV | N | Myolastan, Musaril |
| Tramadol (2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol) | 9752 | IV | Y | Tramadol |
| Triazolam | 2887 | IV | N | Halcion |
| Zaleplon | 2781 | IV | N | Sonata |
| Zolpidem | 2783 | IV | N | Ambien, Ivalad, Stilnoct, Stilnox |
| Zopiclone | 2784 | IV | N | Lunesta |
| Zuranolone | 2420 | IV | N | ZURZUVAE |
| Brivaracetam | 2710 | V | N | BRV, UCB-34714, Brivact, ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-yl] butanamide) |
| Cenobamate [(1R)-1-(2-chlorophenyl)-2-(tetrazol-2-yl)ethyl]carbamate | 2720 | V | N | 2H-tetrazole-2-ethanol, alpha-(2-chlorophenyl)-, carbamate (ester), (alphaR)-; carbamic acid (R)-(+)-1-(2-chlorophenyl)-2-(2H-tetrazol-2-yl)ethyl ester) |
| Codeine preparations - 200 mg/(100 ml or 100 gm) | | V | Y | Cosanyl, Robitussin A-C, Cheralcol, Cerose, Pediacof |
| Difenoxin preparations - 0.5 mg/25 ug AtSO4/du | | V | Y | Motofen |
| Dihydrocodeine preparations 100mg/(100 ml or 100 gm) | | V | Y | Cophene-S, various others |
| Diphenoxylate preparations 2.5 mg/25 ug AtSO4 | | V | Y | Lomotil, Logen |
| Ethylmorphine preparations 100 mg/(100 ml or 100 gm) | | V | Y | |
| Ezogabine | 2779 | V | N | Potiga |
| Ganaxolone (3 α -hydroxy-3 β -methyl-5 α -pregnan-20-one) | 2401 | V | N | |
| Lacosamide | 2746 | V | N | Vimpat |
| Lasmiditan [2,4,6-trifluoro-N-(6-(1-methylpiperidine-4-carbonyl)pyridine-2-yl-benzamide] | 2790 | V | N | Reyvow |
| Opium preparations - 100 mg/(100 ml or 100 gm) | | V | Y | Parepectolin, Kapectolin PG, Kaolin Pectin P.G. |
| Pregabalin | 2782 | V | N | Lyrica |
| Pyrovalerone | 1485 | V | N | Centroton, Thymergix |

Abbreviations: "NARC" = Narcotic, "CSA SCH" = CSA Schedule, "CSCN" = Controlled Substance Code Number

Controlled Substances - by CSA Schedule

21-Nov-24

Page 20 of 20